



# Chatham County, NC

## Legislation Text

---

**File #:** 21-4107, **Version:** 1

---

Vote on a request to approve Pyrotechnic display at The Bradford wedding venue located at 75 The Bradford Ln. New Hill NC 27562 during a wedding celebration on December 31, 2021

### **Action Requested:**

Vote on a request to approve Pyrotechnic display at The Bradford wedding venue located at 75 The Bradford Ln. New Hill NC 27562 during a wedding celebration on December 31, 2021

### **Introduction & Background:**

North Carolina General Statute 14-410 and 14-413 (Attachment #A) requires that Pyrotechnic displays be pre-approved by the County Board of Commissioners that the display is to be conducted in. Mr. Dustin Ledford, Contracted Pyrotechnics., has submitted a letter of request (Attachment #B) to conduct a Pyrotechnic display at The Bradford wedding venue located at 75 The Bradford Ln. New Hill NC 27562 during a wedding celebration on December 31, 2021. The actual display operator conducting the displays will be Mr. Dustin Ledford, Contracted Pyrotechnics, is a NC Licensed Pyrotechnics Display Operator for displays before a proximate audience.

### **Discussion & Analysis:**

Due to the dangerous nature and tragedy at Ocracoke, NC involving Pyrotechnics, the State of North Carolina enacted strict requirements including the licensing of Pyrotechnic Display Operators. Mr. Dustin Ledford, Contracted Pyrotechnics., has provided the required documentation for review which includes a copy of Mr. Ledford's., NC Pyrotechnic Display Operators License (Attachment #C), Certificate of Insurance (Attachment #D), and an ATF License/Permit (Attachment #E). Mr. Dustin Ledford also submitted a drawing of the areas denoting the required distances from the spectators (Attachment #F and #G). The sizes and types of pyrotechnics to be used were reviewed. Mr. Jeff Hale has met the applicable requirements of the North Carolina Fire Prevention Code and the National Fire Protection Association (NFPA) Standard 1126 **Standard for the Use of Pyrotechnics**

### **Before a Proximate Audience**

This standard provides requirements for the safe use of pyrotechnic special effects before a proximate audience at both indoor and outdoor locations to protect property, operators, performers, support personnel, and viewing audiences. Application includes use in conjunction with theatrical, musical, or similar performing arts productions in theaters, stadiums, concert halls, etc. Once notice is received that the County Board of Commissioners has approved the events, the pyrotechnics company representative will be contacted to advise them of the approval and request that they please stay abreast of the conditions at the display sites as the events draws near. If dry and/or windy conditions appear to pose an increased risk to life or property, a Chatham County Fire Marshal's Office representative will request that the operator contact the firm and/or persons that they have contracted with and advise them of the same. A Chatham County Fire Marshal's Office representative will also contact the company and/or person and advise them of the same. In the event that conditions continue to exist that pose and elevated and/or increased risk to lives and property due to fire and it is determined that the event may need to be cancelled, the Chatham

County Fire Marshal's Office representative will contact the pyrotechnic company representative and the firm and/or person they have contracted with within a minimum of forty-eight (48) hours prior to the event and advise them of the same. In accordance with the North Carolina Fire Prevention Code an inspection of the display area will be conducted by a Certified NC Fire Prevention Inspector of the Chatham County Fire Marshal's Office prior to the actual display. A piece of fire apparatus and personnel from the Siler City Fire Department will be on-site before, during, and after the display. The Pyrotechnics display may be delayed and or cancelled if weather and/or atmospheric conditions deem the activity to be unsafe. The Chatham County Fire Marshal will conduct a post display inspection of the display areas.

**Recommendation:**

Vote on a request to approve Pyrotechnic display at The Bradford wedding venue located at 75 The Bradford Ln. New Hill NC 27562 during a wedding celebration on December 31, 2021